

Base Line

Base Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 3 mm Ø 0,118 inch	Ø 5 mm Ø 0,197 inch	Ø 7 mm Ø 0,276 inch	Ø 8,5 mm Ø 0,335 inch	Ø 9,5 mm Ø 0,374 inch	Ø 10 mm Ø 0,394 inch	Ø 10,5 mm Ø 0,413 inch	Ø 11,5 mm Ø 0,453 inch	Ø 12 mm Ø 0,472 inch	Ø 12,5 mm Ø 0,492 inch
Kabel Cable			H05VV-F	H05VV-F	H05RR-F H07BQ-F		H07RN-F	H07BQ-F		H07RN-F
Ader-Ø Core-Ø			3G 1,0	3G 1,5	3G 1,5		3G 1,5	3G 2,5 5G 1,5		3G 2,5
IT 240	384 m 1260 ft	137 m 449 ft	65 m 213 ft	46 m 151 ft	35 m 115 ft	33 m 108 ft	30 m 98 ft	22 m 72 ft	22 m 72 ft	22 m 72 ft
IT 266	533 m 1749 ft	190 m 623 ft	92 m 302 ft	59 m 194 ft	47 m 154 ft	47 m 154 ft	37 m 121 ft	33 m 108 ft	33 m 108 ft	24 m 79 ft
IT 280	614 m 2014 ft	213 m 699 ft	114 m 374 ft	71 m 233 ft	53 m 174 ft	53 m 174 ft	49 m 161 ft	38 m 125 ft	35 m 115 ft	35 m 115 ft
IT 300	752 m 2467 ft	278 m 912 ft	133 m 436 ft	91 m 299 ft	68 m 223 ft	62 m 203 ft	57 m 187 ft	45 m 148 ft	45 m 148 ft	39 m 128 ft
IT 300K	703 m 2306 ft	239 m 784 ft	128 m 420 ft	79 m 259 ft	59 m 194 ft	59 m 194 ft	55 m 180 ft	42 m 138 ft	39 m 128 ft	39 m 128 ft
IT 380	1335 m 4380 ft	468 m 1535 ft	234 m 768 ft	160 m 525 ft	117 m 384 ft	117 m 384 ft	97 m 318 ft	90 m 295 ft	73 m 240 ft	73 m 240 ft

Base Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 13 mm Ø 0,512 inch	Ø 13,5 mm Ø 0,531 inch	Ø 15 mm Ø 0,591 inch	Ø 17 mm Ø 0,669 inch	Ø 17,5 mm Ø 0,689 inch	Ø 19,5 mm Ø 0,768 inch	Ø 20 mm Ø 0,787 inch	Ø 23 mm Ø 0,906 inch	Ø 25 mm Ø 0,984 inch	Ø 30 mm Ø 1,181 inch
Kabel Cable	H07RN-F	H07BQ-F	H07RN-F		H07RN-F	H07RN-F				
Ader-Ø Core-Ø	5G 1,5	5G 2,5	5G 2,5		5G 4,0	5G 6,0				
IT 240	19 m 62 ft	14 m 46 ft	13 m 43 ft	11 m 36 ft	11 m 36 ft					
IT 266	24 m 79 ft	24 m 79 ft	17 m 56 ft	14 m 46 ft	14 m 46 ft					
IT 280	25 m 82 ft	25 m 82 ft	22 m 72 ft	15 m 49 ft	15 m 49 ft	13 m 43 ft	13 m 43 ft			
IT 300	35 m 115 ft	35 m 115 ft	26 m 85 ft	22 m 72 ft	18 m 59 ft	15 m 49 ft	15 m 49 ft			
IT 300K	28 m 92 ft	28 m 92 ft	25 m 82 ft	17 m 56 ft	17 m 56 ft	14 m 46 ft	14 m 46 ft			
IT 380	58 m 190 ft	58 m 190 ft	45 m 148 ft	40 m 131 ft	33 m 108 ft	29 m 95 ft	29 m 95 ft	20 m 66 ft	16 m 52 ft	10 m 33 ft

Kabelaufnahme

Cable capacity

Classic Line

Classic Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 3 mm Ø 0,118 inch	Ø 5 mm Ø 0,197 inch	Ø 7 mm Ø 0,276 inch	Ø 8,5 mm Ø 0,335 inch	Ø 9,5 mm Ø 0,374 inch	Ø 10 mm Ø 0,394 inch	Ø 10,5 mm Ø 0,413 inch	Ø 11,5 mm Ø 0,453 inch	Ø 12 mm Ø 0,472 inch	Ø 12,5 mm Ø 0,492 inch
Kabel Cable			H05VV-F	H05VV-F	H05RR-F H07BQ-F		H07RN-F	H07BQ-F		H07RN-F
Ader-Ø Core-Ø			3G 1,0	3G 1,5	3G 1,5		3G 1,5	3G 2,5 5G 1,5		3G 2,5
HT 260	482 m 1581 ft	176 m 577 ft	80 m 262 ft	57 m 187 ft	45 m 148 ft	42 m 138 ft	32 m 105 ft	29 m 95 ft	29 m 95 ft	29 m 95 ft
HT 280	585 m 1919 ft	213 m 699 ft	101 m 331 ft	71 m 233 ft	53 m 174 ft	53 m 174 ft	41 m 135 ft	38 m 125 ft	35 m 125 ft	28 m 92 ft
HT 300	715 m 2346 ft	258 m 846 ft	120 m 394 ft	81 m 266 ft	67 m 220 ft	62 m 203 ft	49 m 161 ft	45 m 148 ft	38 m 125 ft	38 m 125 ft
HT 300K	669 m 2195 ft	239 m 784 ft	114 m 374 ft	79 m 259 ft	59 m 194 ft	59 m 194 ft	46 m 151 ft	42 m 138 ft	39 m 128 ft	31 m 102 ft
HT 305	997 m 3271 ft	359 m 1178 ft	171 m 561 ft	119 m 390 ft	94 m 308 ft	89 m 292 ft	71 m 233 ft	64 m 210 ft	60 m 197 ft	45 m 148 ft
HT 311	660 m 2165 ft	234 m 768 ft	119 m 390 ft	76 m 249 ft	58 m 190 ft	58 m 190 ft	54 m 177 ft	43 m 141 ft	39 m 128 ft	32 m 105 ft
HT 380	1281 m 4203 ft	462 m 1516 ft	231 m 758 ft	145 m 476 ft	115 m 377 ft	115 m 377 ft	96 m 315 ft	79 m 259 ft	72 m 236 ft	72 m 236 ft
HT 381	1186 m 3891 ft	438 m 1437 ft	221 m 725 ft	147 m 482 ft	109 m 358 ft	109 m 358 ft	88 m 289 ft	77 m 253 ft	64 m 210 ft	59 m 194 ft
HT 385	1909 m 6263 ft	694 m 2277 ft	347 m 1138 ft	218 m 715 ft	181 m 594 ft	173 m 568 ft	148 m 486 ft	119 m 390 ft	112 m 367 ft	105 m 344 ft
HT 480	2098 m 6883 ft	744 m 2441 ft	380 m 1247 ft	243 m 797 ft	186 m 610 ft	186 m 610 ft	160 m 525 ft	136 m 446 ft	114 m 374 ft	114 m 374 ft
HT 481	2087 m 6847 ft	774 m 2539 ft	372 m 1220 ft	248 m 814 ft	193 m 633 ft	193 m 633 ft	165 m 541 ft	130 m 427 ft	130 m 427 ft	107 m 351 ft
HT 482	1492 m 4895 ft	551 m 1808 ft	278 m 912 ft	185 m 607 ft	137 m 449 ft	137 m 449 ft	111 m 364 ft	97 m 318 ft	81 m 266 ft	75 m 246 ft
HT 485	3125 m 10253 ft	1117 m 3665 ft	570 m 1870 ft	364 m 1194 ft	292 m 958 ft	279 m 915 ft	247 m 810 ft	205 m 673 ft	177 m 581 ft	167 m 548 ft
HT 582	3225 m 10581 ft	1184 m 3885 ft	578 m 1896 ft	401 m 1316 ft	296 m 961 ft	296 m 961 ft	257 m 843 ft	206 m 676 ft	187 m 614 ft	174 m 561 ft

Classic Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 13 mm Ø 0,512 inch	Ø 13,5 mm Ø 0,531 inch	Ø 15 mm Ø 0,591 inch	Ø 17 mm Ø 0,669 inch	Ø 17,5 mm Ø 0,689 inch	Ø 19,5 mm Ø 0,768 inch	Ø 20 mm Ø 0,787 inch	Ø 23 mm Ø 0,906 inch	Ø 25 mm Ø 0,984 inch	Ø 30 mm Ø 1,181 inch
Kabel Cable	H07RN-F	H07BQ-F	H07RN-F		H07RN-F	H07RN-F				
Ader-Ø Core-Ø	5G 1,5	5G 2,5	5G 2,5		5G 4,0	5G 6,0				
HT 260	21 m 69 ft	21 m 69 ft	18 m 59 ft	12 m 39 ft	12 m 39 ft	10 m 33 ft	10 m 33 ft			
HT 280	25 m 82 ft	25 m 82 ft	22 m 72 ft	15 m 49 ft	15 m 49 ft	13 m 43 ft	13 m 43 ft			
HT 300	34 m 112 ft	34 m 112 ft	25 m 82 ft	18 m 59 ft	18 m 59 ft	15 m 49 ft	15 m 49 ft			
HT 300K	28 m 92 ft	28 m 92 ft	25 m 82 ft	17 m 56 ft	17 m 56 ft	14 m 46 ft	14 m 46 ft			
HT 305	45 m 148 ft	42 m 138 ft	39 m 128 ft	25 m 82 ft	25 m 82 ft	21 m 69 ft	21 m 69 ft	12 m 39 ft	11 m 36 ft	
HT 311	29 m 95 ft	29 m 95 ft	21 m 69 ft	19 m 62 ft	19 m 62 ft	12 m 39 ft	12 m 39 ft	10 m 33 ft		
HT 380	57 m 187 ft	57 m 187 ft	44 m 144 ft	33 m 108 ft	33 m 108 ft	28 m 92 ft	28 m 92 ft	19 m 62 ft	16 m 52 ft	
HT 381	59 m 194 ft	55 m 180 ft	40 m 131 ft	36 m 118 ft	33 m 108 ft	22 m 72 ft	22 m 72 ft	19 m 62 ft	11 m 36 ft	
HT 385	92 m 302 ft	86 m 282 ft	69 m 226 ft	49 m 161 ft	49 m 161 ft	41 m 135 ft	41 m 135 ft	29 m 95 ft	26 m 85 ft	17 m 56 ft
HT 480	95 m 312 ft	95 m 312 ft	76 m 249 ft	60 m 197 ft	60 m 197 ft	46 m 151 ft	46 m 151 ft	34 m 112 ft	23 m 75 ft	15 m 49 ft
HT 481	107 m 351 ft	99 m 325 ft	79 m 259 ft	62 m 203 ft	55 m 180 ft	41 m 135 ft	41 m 135 ft	28 m 92 ft	24 m 79 ft	15 m 49 ft
HT 482	75 m 246 ft	69 m 226 ft	50 m 164 ft	46 m 151 ft	41 m 135 ft	27 m 89 ft	27 m 89 ft	24 m 79 ft	13 m 43 ft	11 m 36 ft
HT 485	152 m 499 ft	142 m 466 ft	119 m 390 ft	91 m 299 ft	91 m 299 ft	66 m 217 ft	66 m 217 ft	51 m 167 ft	38 m 125 ft	26 m 85 ft
HT 582	174 m 571 ft	144 m 472 ft	117 m 384 ft	93 m 305 ft	84 m 276 ft	64 m 210 ft	64 m 210 ft	46 m 151 ft	40 m 131 ft	26 m 85 ft

Kabelaufnahme

Cable capacity

Professional Line

Professional Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 3 mm Ø 0,118 inch	Ø 5 mm Ø 0,197 inch	Ø 7 mm Ø 0,276 inch	Ø 8,5 mm Ø 0,335 inch	Ø 9,5 mm Ø 0,374 inch	Ø 10 mm Ø 0,394 inch	Ø 10,5 mm Ø 0,413 inch	Ø 11,5 mm Ø 0,453 inch	Ø 12 mm Ø 0,472 inch	Ø 12,5 mm Ø 0,492 inch
Kabel Cable			H05VV-F	H05VV-F	H05RR-F H07BQ-F		H07RN-F	H07BQ-F		H07RN-F
Ader-Ø Core-Ø			3G 1,0	3G 1,5	3G 1,5		3G 1,5	3G 2,5 5G 1,5		3G 2,5
GT 235	317 m 1040 ft	121 m 397 ft	57 m 187 ft	33 m 108 ft	30 m 98 ft	30 m 98 ft	22 m 72 ft	19 m 62 ft	19 m 62 ft	17 m 56 ft
GT 310	721 m 2365 ft	259 m 850 ft	128 m 420 ft	85 m 279 ft	64 m 210 ft	64 m 210 ft	51 m 167 ft	47 m 154 ft	39 m 128 ft	35 m 115 ft
GT 380	1313 m 4308 ft	459 m 1506 ft	237 m 778 ft	153 m 502 ft	121 m 397 ft	114 m 374 ft	93 m 305 ft	82 m 269 ft	82 m 269 ft	63 m 207 ft
GT 450	1639 m 5377 ft	570 m 1870 ft	286 m 938 ft	193 m 633 ft	146 m 479 ft	138 m 453 ft	131 m 430 ft	105 m 344 ft	99 m 325 ft	77 m 253 ft

Professional Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 13 mm Ø 0,512 inch	Ø 13,5 mm Ø 0,531 inch	Ø 15 mm Ø 0,591 inch	Ø 17 mm Ø 0,669 inch	Ø 17,5 mm Ø 0,689 inch	Ø 19,5 mm Ø 0,768 inch	Ø 20 mm Ø 0,787 inch	Ø 23 mm Ø 0,906 inch	Ø 25 mm Ø 0,984 inch	Ø 30 mm Ø 1,181 inch
Kabel Cable	H07RN-F	H07BQ-F	H07RN-F		H07RN-F	H07RN-F				
Ader-Ø Core-Ø	5G 1,5	5G 2,5	5G 2,5		5G 4,0	5G 6,0				
GT 235	13 m 43 ft	13 m 43 ft	11 m 36 ft							
GT 310	35 m 115 ft	32 m 105 ft	22 m 72 ft	19 m 62 ft	19 m 62 ft	12 m 39 ft	12 m 39 ft	10 m 33 ft		
GT 380	63 m 207 ft	59 m 194 ft	43 m 141 ft	36 m 118 ft	36 m 118 ft	24 m 79 ft	24 m 79 ft	19 m 62 ft	12 m 39 ft	10 m 33 ft
GT 450	77 m 253 ft	71 m 233 ft	52 m 171 ft	48 m 157 ft	44 m 144 ft	29 m 95 ft	29 m 95 ft	26 m 85 ft	15 m 49 ft	13 m 43 ft

Construction Line

Construction Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 3 mm Ø 0,118 inch	Ø 5 mm Ø 0,197 inch	Ø 7 mm Ø 0,276 inch	Ø 8,5 mm Ø 0,335 inch	Ø 9,5 mm Ø 0,374 inch	Ø 10 mm Ø 0,394 inch	Ø 10,5 mm Ø 0,413 inch	Ø 11,5 mm Ø 0,453 inch	Ø 12 mm Ø 0,472 inch	Ø 12,5 mm Ø 0,492 inch
Kabel Cable			H05VV-F	H05VV-F	H05RR-F H07BQ-F		H07RN-F	H07BQ-F		H07RN-F
Ader-Ø Core-Ø			3G 1,0	3G 1,5	3G 1,5		3G 1,5	3G 2,5 5G 1,5		3G 2,5
SK 4822	2985 m 9793 ft	1087 m 3566 ft	556 m 1824 ft	361 m 1184 ft	283 m 928 ft	267 m 876 ft	222 m 728 ft	201 m 659 ft	162 m 531 ft	150 m 492 ft
SK 4823	4478 m 14692 ft	1622 m 5322 ft	834 m 2736 ft	547 m 1795 ft	429 m 1407 ft	405 m 1329 ft	333 m 1093 ft	299 m 981 ft	243 m 797 ft	231 m 758 ft

Construction Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 13 mm Ø 0,512 inch	Ø 13,5 mm Ø 0,531 inch	Ø 15 mm Ø 0,591 inch	Ø 17 mm Ø 0,669 inch	Ø 17,5 mm Ø 0,689 inch	Ø 19,5 mm Ø 0,768 inch	Ø 20 mm Ø 0,787 inch	Ø 23 mm Ø 0,906 inch	Ø 25 mm Ø 0,984 inch	Ø 30 mm Ø 1,181 inch
Kabel Cable	H07RN-F	H07BQ-F	H07RN-F		H07RN-F	H07RN-F				
Ader-Ø Core-Ø	5G 1,5	5G 2,5	5G 2,5		5G 4,0	5G 6,0				
SK 4822	144 m 472 ft	139 m 456 ft	101 m 331 ft	88 m 289 ft	88 m 289 ft	59 m 194 ft	55 m 180 ft	48 m 157 ft	30 m 98 ft	25 m 82 ft
SK 4823	220 m 722 ft	214 m 702 ft	152 m 499 ft	134 m 440 ft	129 m 423 ft	86 m 282 ft	86 m 282 ft	73 m 240 ft	46 m 151 ft	37 m 121 ft

Kabelaufnahme

Cable capacity

Stage Line

Stage Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 3 mm Ø 0,118 inch	Ø 5 mm Ø 0,197 inch	Ø 7 mm Ø 0,276 inch	Ø 8,5 mm Ø 0,335 inch	Ø 9,5 mm Ø 0,374 inch	Ø 10 mm Ø 0,394 inch	Ø 10,5 mm Ø 0,413 inch	Ø 11,5 mm Ø 0,453 inch	Ø 12 mm Ø 0,472 inch	Ø 12,5 mm Ø 0,492 inch
Kabel Cable			H05VV-F	H05VV-F	H05RR-F H07BQ-F		H07RN-F	H07BQ-F		H07RN-F
Ader-Ø Core-Ø			3G 1,0	3G 1,5	3G 1,5		3G 1,5	3G 2,5 5G 1,5		3G 2,5
SK 380	1203 m 3947 ft	421 m 1381 ft	209 m 686 ft	138 m 453 ft	108 m 354 ft	102 m 335 ft	82 m 269 ft	76 m 249 ft	71 m 233 ft	59 m 194 ft
SK 450	1625 m 5331 ft	578 m 1896 ft	275 m 902 ft	176 m 577 ft	138 m 453 ft	131 m 430 ft	123 m 404 ft	99 m 325 ft	92 m 302 ft	92 m 302 ft
SK 302	1995 m 6545 ft	718 m 2356 ft	342 m 1122 ft	244 m 801 ft	188 m 617 ft	179 m 587 ft	142 m 466 ft	128 m 420 ft	124 m 407 ft	94 m 308 ft
SK 4600	2743 m 8999 ft	991 m 3251 ft	462 m 1516 ft	319 m 1047 ft	257 m 843 ft	247 m 810 ft	202 m 663 ft	161 m 528 ft	154 m 505 ft	154 m 505 ft
SK 4601	3834 m 12579 ft	1388 m 4554 ft	661 m 2169 ft	451 m 1480 ft	357 m 1171 ft	347 m 1138 ft	290 m 951 ft	231 m 758 ft	223 m 732 ft	215 m 705 ft
SK 4602	5487 m 18002 ft	1983 m 6506 ft	938 m 3077 ft	639 m 2096 ft	515 m 1690 ft	495 m 1624 ft	414 m 1358 ft	331 m 1086 ft	316 m 1037 ft	308 m 1010 ft
SK 4700	2743 m 8999 ft	991 m 3251 ft	462 m 1516 ft	319 m 1047 ft	257 m 843 ft	247 m 810 ft	202 m 663 ft	161 m 528 ft	154 m 505 ft	154 m 505 ft
SK 4701	4959 m 16270 ft	1785 m 5856 ft	846 m 2776 ft	573 m 1880 ft	466 m 1529 ft	446 m 1463 ft	370 m 1214 ft	300 m 984 ft	285 m 935 ft	277 m 909 ft
SK 4730	3735 m 12254 ft	1348 m 4423 ft	634 m 2080 ft	440 m 1444 ft	347 m 1138 ft	337 m 1106 ft	282 m 925 ft	223 m 732 ft	215 m 705 ft	208 m 682 ft
SK 4731	5620 m 18438 ft	2023 m 6637 ft	952 m 3123 ft	661 m 2165 ft	525 m 1722 ft	505 m 1657 ft	423 m 1388 ft	339 m 1112 ft	323 m 1060 ft	308 m 1010 ft
SK 4822	2985 m 9793 ft	1087 m 3566 ft	556 m 1824 ft	361 m 1184 ft	283 m 928 ft	267 m 876 ft	222 m 728 ft	201 m 659 ft	162 m 531 ft	150 m 492 ft
SK 4823	4478 m 14692 ft	1622 m 5322 ft	834 m 2736 ft	547 m 1795 ft	429 m 1407 ft	405 m 1329 ft	333 m 1093 ft	299 m 981 ft	243 m 797 ft	231 m 758 ft
SK 460	5646 m 18524 ft	2037 m 6683 ft	1028 m 3373 ft	683 m 2241 ft	556 m 1824 ft	485 m 1591 ft	453 m 1486 ft	379 m 1243 ft	320 m 1050 ft	303 m 994 ft
SK 580	8639 m 28343 ft	3134 m 10282 ft	1543 m 5062 ft	1044 m 3425 ft	818 m 2684 ft	783 m 2569 ft	675 m 2215 ft	574 m 1873 ft	495 m 1624 ft	482 m 1581 ft
SL 500	3280 m 10761 ft	1201 m 3940 ft	594 m 1949 ft	387 m 1270 ft	310 m 1017 ft	300 m 984 ft	251 m 823 ft	207 m 679 ft	198 m 650 ft	190 m 623 ft

Stage Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 13 mm Ø 0,512 inch	Ø 13,5 mm Ø 0,531 inch	Ø 15 mm Ø 0,591 inch	Ø 17 mm Ø 0,669 inch	Ø 17,5 mm Ø 0,689 inch	Ø 19,5 mm Ø 0,768 inch	Ø 20 mm Ø 0,787 inch	Ø 23 mm Ø 0,906 inch	Ø 25 mm Ø 0,984 inch	Ø 30 mm Ø 1,181 inch
Kabel Cable	H07RN-F	H07BQ-F	H07RN-F		H07RN-F	H07RN-F				
Ader-Ø Core-Ø	5G 1,5	5G 2,5	5G 2,5		5G 4,0	5G 6,0				
SK 380	54 m 177 ft	54 m 177 ft	40 m 131 ft	32 m 105 ft	32 m 105 ft	21 m 69 ft	21 m 69 ft	19 m 62 ft	10 m 33 ft	
SK 450	71 m 233 ft	71 m 233 ft	60 m 197 ft	44 m 144 ft	44 m 144 ft	29 m 95 ft	26 m 85 ft	23 m 75 ft	23 m 75 ft	11 m 36 ft
SK 302	91 m 299 ft	88 m 289 ft	79 m 259 ft	51 m 167 ft	51 m 167 ft	44 m 144 ft	44 m 144 ft	25 m 82 ft	22 m 72 ft	19 m 62 ft
SK 4600	125 m 410 ft	119 m 390 ft	105 m 344 ft	77 m 253 ft	77 m 253 ft	52 m 171 ft	52 m 171 ft	33 m 108 ft	33 m 108 ft	26 m 85 ft
SK 4601	171 m 561 ft	165 m 541 ft	152 m 499 ft	110 m 361 ft	110 m 361 ft	74 m 243 ft	74 m 243 ft	49 m 161 ft	46 m 151 ft	36 m 118 ft
SK 4602	251 m 823 ft	244 m 801 ft	218 m 715 ft	159 m 522 ft	154 m 505 ft	110 m 361 ft	110 m 361 ft	69 m 226 ft	66 m 217 ft	52 m 171 ft
SK 4700	125 m 410 ft	119 m 390 ft	105 m 344 ft	77 m 253 ft	77 m 253 ft	52 m 171 ft	52 m 171 ft	33 m 108 ft	33 m 108 ft	26 m 85 ft
SK 4701	224 m 735 ft	218 m 715 ft	198 m 650 ft	143 m 469 ft	137 m 449 ft	101 m 331 ft	96 m 315 ft	62 m 203 ft	59 m 194 ft	49 m 161 ft
SK 4730	171 m 561 ft	165 m 541 ft	145 m 476 ft	110 m 361 ft	104 m 341 ft	74 m 243 ft	74 m 243 ft	46 m 151 ft	42 m 138 ft	36 m 118 ft
SK 4731	257 m 843 ft	244 m 801 ft	224 m 735 ft	165 m 541 ft	159 m 522 ft	114 m 374 ft	110 m 361 ft	72 m 236 ft	66 m 217 ft	56 m 184 ft
SK 4822	144 m 472 ft	139 m 456 ft	101 m 331 ft	88 m 289 ft	88 m 289 ft	59 m 194 ft	55 m 180 ft	48 m 157 ft	30 m 98 ft	25 m 82 ft
SK 4823	220 m 722 ft	214 m 702 ft	152 m 499 ft	134 m 440 ft	129 m 423 ft	86 m 282 ft	86 m 282 ft	73 m 240 ft	46 m 151 ft	37 m 121 ft
SK 460	295 m 968 ft	250 m 820 ft	221 m 725 ft	170 m 558 ft	164 m 538 ft	121 m 397 ft	121 m 397 ft	84 m 276 ft	75 m 246 ft	47 m 154 ft
SK 580	455 m 1493 ft	397 m 1302 ft	321 m 1053 ft	243 m 797 ft	234 m 768 ft	184 m 604 ft	176 m 577 ft	127 m 417 ft	120 m 394 ft	80 m 262 ft
SL 500	159 m 522 ft	152 m 499 ft	118 m 387 ft	88 m 289 ft	82 m 269 ft	72 m 236 ft	72 m 236 ft	49 m 161 ft	45 m 148 ft	27 m 89 ft

Kabelaufnahme

Cable capacity

Practical Line

Practical Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 3 mm Ø 0,118 inch	Ø 5 mm Ø 0,197 inch	Ø 7 mm Ø 0,276 inch	Ø 8,5 mm Ø 0,335 inch	Ø 9,5 mm Ø 0,374 inch	Ø 10 mm Ø 0,394 inch	Ø 10,5 mm Ø 0,413 inch	Ø 11,5 mm Ø 0,453 inch	Ø 12 mm Ø 0,472 inch	Ø 12,5 mm Ø 0,492 inch
Kabel Cable			H05VV-F	H05VV-F	H05RR-F H07BQ-F		H07RN-F	H07BQ-F		H07RN-F
Ader-Ø Core-Ø			3G 1,0	3G 1,5	3G 1,5		3G 1,5	3G 2,5 5G 1,5		3G 2,5
ALD 180	292 m 958 ft	100 m 328 ft	52 m 171 ft	35 m 115 ft	26 m 85 ft	25 m 82 ft	23 m 75 ft	16 m 52 ft	15 m 49 ft	15 m 49 ft
ALD 240	640 m 2100 ft	221 m 725 ft	113 m 371 ft	75 m 246 ft	58 m 190 ft	55 m 180 ft	44 m 144 ft	41 m 135 ft	38 m 125 ft	32 m 105 ft
ALD / ALM 300	1264 m 4147 ft	454 m 1490 ft	217 m 712 ft	151 m 495 ft	125 m 410 ft	107 m 351 ft	102 m 335 ft	81 m 266 ft	76 m 249 ft	67 m 220 ft
ALD / ALM 380	1819 m 5968 ft	662 m 2172 ft	329 m 1079 ft	231 m 758 ft	171 m 561 ft	159 m 522 ft	150 m 492 ft	111 m 364 ft	111 m 364 ft	103 m 338 ft

Practical Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 13 mm Ø 0,512 inch	Ø 13,5 mm Ø 0,531 inch	Ø 15 mm Ø 0,591 inch	Ø 17 mm Ø 0,669 inch	Ø 17,5 mm Ø 0,689 inch	Ø 19,5 mm Ø 0,768 inch	Ø 20 mm Ø 0,787 inch	Ø 23 mm Ø 0,906 inch	Ø 25 mm Ø 0,984 inch	Ø 30 mm Ø 1,181 inch
Kabel Cable	H07RN-F	H07BQ-F	H07RN-F		H07RN-F	H07RN-F				
Ader-Ø Core-Ø	5G 1,5	5G 2,5	5G 2,5		5G 4,0	5G 6,0				
ALD 180	13 m 43 ft	13 m 43 ft								
ALD 240	29 m 95 ft	29 m 95 ft	19 m 62 ft	17 m 56 ft	17 m 56 ft	11 m 36 ft	11 m 36 ft	10 m 33 ft		
ALD / ALM 300	62 m 203 ft	58 m 190 ft	46 m 151 ft	32 m 105 ft	32 m 105 ft	29 m 95 ft	23 m 75 ft	19 m 62 ft	14 m 46 ft	10 m 33 ft
ALD / ALM 380	93 m 305 ft	86 m 282 ft	71 m 233 ft	57 m 187 ft	45 m 148 ft	40 m 131 ft	34 m 112 ft	25 m 82 ft	21 m 69 ft	14 m 46 ft

Camera Line

Camera Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 3 mm Ø 0,118 inch	Ø 5 mm Ø 0,197 inch	Ø 7 mm Ø 0,276 inch	Ø 8,5 mm Ø 0,335 inch	Ø 9,5 mm Ø 0,374 inch	Ø 10 mm Ø 0,394 inch	Ø 10,5 mm Ø 0,413 inch	Ø 11,5 mm Ø 0,453 inch	Ø 12 mm Ø 0,472 inch	Ø 12,5 mm Ø 0,492 inch
Kabel Cable			H05VV-F	H05VV-F	H05RR-F H07BQ-F		H07RN-F	H07BQ-F		H07RN-F
Ader-Ø Core-Ø			3G 1,0	3G 1,5	3G 1,5		3G 1,5	3G 2,5 5G 1,5		3G 2,5
PL 450,250,300	3417 m 11211 ft	1242 m 4075 ft	608 m 1995 ft	398 m 1306 ft	321 m 1053 ft	310 m 1017 ft	260 m 853 ft	215 m 705 ft	207 m 679 ft	198 m 650 ft
PL 600,320,350	7299 m 23947 ft	2681 m 8796 ft	1368 m 4488 ft	897 m 2943 ft	689 m 2260 ft	670 m 2198 ft	586 m 1923 ft	492 m 1614 ft	436 m 1430 ft	421 m 1381 ft
PL 600,400,450	7382 m 24219 ft	2684 m 8806 ft	1336 m 4383 ft	853 m 2799 ft	701 m 2300 ft	671 m 2201 ft	563 m 1847 ft	465 m 1526 ft	441 m 1447 ft	429 m 1407 ft
PL 700,400,450	12255 m 40207 ft	4411 m 14472 ft	2196 m 7205 ft	1444 m 4738 ft	1151 m 1776 ft	1102 m 3615 ft	960 m 3150 ft	828 m 2717 ft	725 m 2379 ft	705 m 2313 ft
PL 800,400,500	18379 m 60299 ft	6678 m 21909 ft	3369 m 11053 ft	2242 m 7356 ft	1827 m 5994 ft	1669 m 5476 ft	1486 m 4875 ft	1209 m 3967 ft	1080 m 3543 ft	1054 m 3458 ft
MPLE 450,250,250	2836 m 9304 ft	1035 m 3396 ft	507 m 1663 ft	330 m 1083 ft	269 m 883 ft	258 m 846 ft	214 m 702 ft	173 m 568 ft	165 m 541 ft	165 m 541 ft
PLD 600,400,2x200 ¹	3248 m 10656 ft	1193 m 3914 ft	584 m 1906 ft	377 m 1237 ft	313 m 1027 ft	298 m 978 ft	255 m 837 ft	202 m 663 ft	190 m 623 ft	190 m 623 ft

Camera Line	Maximale Kabellänge in Metern (bis zur Oberkante Spule und exakt aufgewickelt) Maximum cable length in feet (till the end of the spool and exactly rolled up)									
Kabel-Ø Cable-Ø	Ø 13 mm Ø 0,512 inch	Ø 13,5 mm Ø 0,531 inch	Ø 15 mm Ø 0,591 inch	Ø 17 mm Ø 0,669 inch	Ø 17,5 mm Ø 0,689 inch	Ø 19,5 mm Ø 0,768 inch	Ø 20 mm Ø 0,787 inch	Ø 23 mm Ø 0,906 inch	Ø 25 mm Ø 0,984 inch	Ø 30 mm Ø 1,181 inch
Kabel Cable	H07RN-F	H07BQ-F	H07RN-F		H07RN-F	H07RN-F				
Ader-Ø Core-Ø	5G 1,5	5G 2,5	5G 2,5		5G 4,0	5G 6,0				
PL 450,250,300	166 m 545 ft	159 m 522 ft	124 m 407 ft	88 m 289 ft	88 m 289 ft	77 m 253 ft	77 m 253 ft	53 m 174 ft	49 m 161 ft	31 m 102 ft
PL 600,320,350	355 m 1165 ft	342 m 1122 ft	283 m 928 ft	218 m 715 ft	218 m 715 ft	162 m 531 ft	162 m 531 ft	123 m 404 ft	95 m 312 ft	60 m 197 ft
PL 600,400,450	354 m 1161 ft	344 m 1129 ft	268 m 879 ft	193 m 633 ft	186 m 610 ft	171 m 561 ft	164 m 538 ft	113 m 371 ft	107 m 351 ft	67 m 220 ft
PL 700,400,450	611 m 2005 ft	593 m 1946 ft	490 m 1608 ft	339 m 1112 ft	326 m 1070 ft	263 m 863 ft	251 m 823 ft	186 m 610 ft	176 m 577 ft	122 m 400 ft
PL 800,400,500	934 m 3064 ft	910 m 2986 ft	695 m 2270 ft	560 m 1837 ft	492 m 1614 ft	395 m 1296 ft	395 m 1296 ft	295 m 968 ft	246 m 807 ft	168 m 551 ft
MPLE 450,250,250	137 m 449 ft	130 m 427 ft	99 m 325 ft	72 m 236 ft	72 m 236 ft	62 m 203 ft	62 m 203 ft	41 m 135 ft	41 m 135 ft	24 m 79 ft
PLD 600,400,2x200 ¹	156 m 512 ft	146 m 479 ft	116 m 381 ft	82 m 269 ft	82 m 269 ft	74 m 243 ft	74 m 243 ft	47 m 154 ft	47 m 154 ft	26 m 85 ft

1 Hier gilt die Kabellänge pro Spule
1 Here the cable length applies per coil