# R22XX Series Punched Panels

*Punched Panels with Cable Support Bar*

Punched rack panels with integrated cable support bar.

The panel has a lacing bar for cable support and cable management.

The panel also as an ID strip for connector identification.

Available with punched panels for
D-Series Chassis connectors (R2269 Series)
 or BNC Connectors (R2280 Series)



## 1U Panels

448 [17.64"]
22 [0.87"]
12.5 [0.49"]
31.75 [1.25"]
12 [0.47"]
8.8 [0.35"]
482.6 [19"]
115 [4.53"]
43.8 [1.72"]
Ø24 [0.94"]
Ø16 [0.63"]
Ø10 [0.39"]

## 2U Panels

448 [17.64"]
22 [0.87"]
22 [0.87"]
12.5 [0.49"]
12 [0.47"]
76.2 [3"]
8.8 [0.35"]
482.6 [19"]
Ø14 [0.55"]
Ø45 [1.77"]
Ø10 [0.39"]
88.3 [3.48"]
43.5 [1.71"]
115 [4.53"]

Web Shop: www.pennelcomonline.com
Web Catalogue: www.penn-elcom.com
*V2.1 - March 9, 2018*

19
[0.75"]

Ø24
[Ø0.94"]

24
[0.94"]

Ø3.3
[Ø0.13"]

**D-Series Hole Patterns**

# R2269 Series
# Panels punched for
# D-series connector chassis

### R2269/1UK-08

| | |
|---|---|
| **U Size:** | 1 Unit |
| **Punch Pattern** | 8 Neutrik D-Series |
| **Weight:** | 0.67kg / 1.47lb |

111.8 [4.4"]    259 [10.2"]    111.8 [4.4"]

37
[1.46"]

16 [0.63"]

### R2269/1UK-12

| | |
|---|---|
| **U Size:** | 1 Unit |
| **Punch Pattern** | 12 Neutrik D-Series |
| **Weight:** | 0.65kg / 1.44lb |

35
[1.38"]    412.5 [16.24"]    35
[1.38"]

37.5
[1.48"]

16 [0.63"]

### R2269/1UK-16

| | |
|---|---|
| **U Size:** | 1 Unit |
| **Punch Pattern** | 16 Neutrik D-Series |
| **Weight:** | 0.65kg / 1.43lb |

35
[1.38"]    412.5 [16.24"]    35
[1.38"]

27.5
[1.08"]

16 [0.63"]

### R2269/2UK-16

| | |
|---|---|
| **U Size:** | 2 Units |
| **Punch Pattern** | 16 Neutrik D-Series |
| **Weight:** | 1.26kg / 2.77lb |

111.8 [4.4"]    259 [10.2"]    111.8 [4.4"]

44.4
[1.75"]

37
[1.46"]

16 [0.63"]

### R2269/2UK-24

| | |
|---|---|
| **U Size:** | 2 Units |
| **Punch Pattern** | 24 Neutrik D-Series |
| **Weight:** | 1.2kg / 2.66lb |

35
[1.38"]    412.5 [16.24"]    35
[1.38"]

44.4
[1.75"]

37.5
[1.48"]

16 [0.63"]

### R2269/2UK-32

| | |
|---|---|
| **U Size:** | 2 Units |
| **Punch Pattern** | 32 Neutrik D-Series |
| **Weight:** | 1.15kg / 2.54lb |

35
[1.38"]    412.5 [16.24"]    35
[1.38"]

44.4
[1.75"]

27.5
[1.08"]

16 [0.63"]

# R2280 Series
# Panels punched for
# BNC connectors

**BNC Hole Patterns**

12.2 [0.48"]

13.1 [0.51"]

### R2280-1UK-16

| | |
|---|---|
| **U Size:** | 1 Unit |
| **Punch Pattern** | 16 BNC Connectors |
| **Weight:** | 0.67kg / 1.47lb |

46.3 [1.82"] — 390 [15.35"] — 46.3 [1.82"]

26 [1.02"] — 16 [0.63"]

### R2280-1UK-20

| | |
|---|---|
| **U Size:** | 1 Unit |
| **Punch Pattern** | 20 BNC Connectors |
| **Weight:** | 0.65kg / 1.44lb |

46.3 [1.82"] — 390 [15.35"] — 46.3 [1.82"]

20.5 [0.81"] — 16 [0.63"]

### R2280-1UK-24

| | |
|---|---|
| **U Size:** | 1 Unit |
| **Punch Pattern** | 24 BNC Connectors |
| **Weight:** | 0.65kg / 1.43lb |

34.3 [1.35"] — 414 [16.3"] — 34.3 [1.35"]

18 [0.71"] — 16 [0.63"]

### R2280-2UK-32

| | |
|---|---|
| **U Size:** | 2 Units |
| **Punch Pattern** | 32 BNC Connectors |
| **Weight:** | 1.26kg / 2.77lb |

46.3 [1.82"] — 390 [15.35"] — 46.3 [1.82"]

26 [1.02"] — 16 [0.63"] — 44.45 [1.75"]

### R2280-2UK-40

| | |
|---|---|
| **U Size:** | 2 Units |
| **Punch Pattern** | 40 BNC Connectors |
| **Weight:** | 1.2kg / 2.66lb |

46.3 [1.82"] — 390 [15.35"] — 46.3 [1.82"]

20.5 [0.81"] — 16 [0.63"] — 44.45 [1.75"]

### R2280-2UK-48

| | |
|---|---|
| **U Size:** | 2 Units |
| **Punch Pattern** | 48 BNC Connectors |
| **Weight:** | 1.15kg / 2.54lb |

34.3 [1.35"] — 414 [16.3"] — 34.3 [1.35"]

18 [0.71"] — 16 [0.63"] — 44.45 [1.75"]

PENN ELCOM®