Synflex Elektro GmbH Auf den Kreuzen 24 D-32825 Blomberg

Phone +49 / 5235 / 968-0 Fax: +49 / 5235 / 968-222 Email: info@synflex.de Internet: www.synflex.de



Cooling Fan CS Series

Description	The CS series cooling fan is a yellow, mechanically stable
-------------	--

polypropylene injection-moulded part. It is available in various installation sizes with a fixed inner diameter. It is possible to insert bushes with varying inner diameters into

the cooling fan for various shaft diameters

Properties Due to the ingenious construction, it is possible to adapt

just a few cooling fan sizes to a variety of differently sized

motors with various motor shafts.

The flat design of the yellow cooling fan even enables utilisation for motors with relatively short shaft ends. The material of the cooling fan is soft so that individual blades can be additionally cut. The height of the cooling fan can be reduced by another 10% by processing the material. The cooling fan has a 3-point jaw chuck which guarantees secure, central acceptance of the bushes and smooth running. 12 cooling fans with large surfaces ensure

perfect air volume flow.

Application The yellow cooling fan has been widely and successfully

used for 30 years in the production of motors. Due to the two-sided bush installation, it is possible to adjust the distance between the motor housing and the cooler, and to individually adjust various makes of motors. Various

standard bushes are available.

If the standard borehole does not correspond, it is possible to turn a complete bush according to requirements. A possibly existing keyslot has to be

removed

Standards RoHS compliant according to 2011/65 EC

Delivery format See table for dimensions and type designations.

Drawing


The information on this data sheet is based on the information provided by our supplier. It does not represent any specification or agreements regarding conditions or properties. The indicated values are standard values. Deviations from those values due to production and application cannot be excluded. The information on this data sheet is addressed to experts who use it at their own discretion and at their own risk. We do not guarantee results, or accept liability for the indicated specifications or for results obtained based on the specifications. Please contact us for more detailed information. Non-toxic and toxic substances are listed on the safety data sheet.

Updated 02/09 - 1 -

Synflex Elektro GmbH Auf den Kreuzen 24 D-32825 Blomberg

Phone +49 / 5235 / 968-0 Fax: +49 / 5235 / 968-222 Email: info@synflex.de Internet: www.synflex.de





The information on this data sheet is based on the information provided by our supplier. It does not represent any specification or agreements regarding conditions or properties. The indicated values are standard values. Deviations from those values due to production and application cannot be excluded. The information on this data sheet is addressed to experts who use it at their own discretion and at their own risk. We do not guarantee results, or accept liability for the indicated specifications or for results obtained based on the specifications. Please contact us for more detailed information. Non-toxic and toxic substances are listed on the safety data sheet.

Updated 02/09 -2-

Synflex Elektro GmbH Auf den Kreuzen 24 D-32825 Blomberg

Phone +49 / 5235 / 968-0 Fax: +49 / 5235 / 968-222 Email: info@synflex.de Internet: http://www.synflex.de



Cooling Fan CS Series

Technical data

	Unit	CS 71	CS 80	CS 90	CS 100	CS 112	CS 132	CS 160	CS 180
Dimensions									
а	mm	123	132	165	171	212	247	296	335
b	mm	75	79	95	99	124	134	172	214
С	mm	26	25	32	36	46	56	56	55
d	mm	27	27	42	42	56	56	69	69
е	mm	33	33	50	50	63	63	76	76
f	mm	15	15	18	18	24	24	29	29
g	mm	10	10	13	10	15	17	17	17
h	mm	99	104	131	147	174	203	244	276

	Unit	CS 71	CS 80	CS 90	CS 100	CS 112	CS 132	CS 160	CS 180
Bushes - Type Designations									
bore diameter	mm/inch	14	14	24	24	28	28	42	42
bore diameter	mm/inch	16	16	25	25	30	30	45	45
bore diameter	mm/inch	19	19	30	30	32	32	50	50
bore diameter	mm/inch	20	20	0	0	38	38	0	0
bore diameter	mm/inch	22	22	1/2"	1/2"	40	40	1 3/8"	1 3/8"
bore diameter	mm/inch	0	0	5/8"	5/8"	45	45	1 5/8"	1 5/8"
bore diameter	mm/inch	1/2"	1/2"	3/4"	3/4"	0	0	1 7/8"	1 7/8"
bore diameter	mm/inch	5/8"	5/8"	7/8"	7/8"				
bore diameter	mm/inch					7/8"	7/8"		
bore diameter	mm/inch					3/4"	3/4"		
bore diameter	mm/inch					1 1/8"	1 1/8"		
bore diameter	mm/inch					1 3/8"	1 3/8"		

The information on this data sheet is based on the information provided by our supplier. It does not represent any specification or agreements regarding conditions or properties. The indicated values are standard values. Deviations from those values due to production and application cannot be excluded. The information on this data sheet is addressed to experts who use it at their own discretion and at their own risk. We do not guarantee results, or accept liability for the indicated specifications or for results obtained based on the specifications. Please contact us for more detailed information. Non-toxic and toxic substances are listed on the safety data sheet.

Updated 02/09 - 3 -